...overnment of Madras.

PUBLIC WORKS DEPARTMENT.

IRRIGATION.
ACCOUNT.

}1915.

Enclosures

Spare copies

...O. No. 327 I., 30th June 1915.

N. P

...uarters for the water Registrar at Anaipalaiyam, Karur taluk, Trichinopoly district.

According, with remarks, administrative approval for the construction of —.

Government of Madras.

PUBLIC WORKS DEPARTMENT.

IRRIGATION.
ACCOUNT.

Recd.	} 1915.	*Enclosures*	
Regd.		*Spare copies*	

G.O. No. 327 I., 30th June 1915.

N. P.

Quarters for the water Registrar at Anaipalaiyam, Karur taluk, Trichinopoly district.

According, with remarks, administrative approval for the construction of —.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation.
Account.

READ—the following papers:—

I

Letter—from M. R. KHAREGAT, Esq., A.M.I.C.E., Superintending Engineer, VI Circle.
To—the Chief Engineer for Irrigation.
Dated—Camp Kodaikanal, the 21st July 1914.
No.—1023 C.E.

I have the honour to forward herewith for your approval and for obtaining the sanction of Government an estimate amounting to Rs. 880 for constructing a house for the use of the water Registrar at Anaipalaiyam in Karur taluk.

The report accompanying the estimate explains the necessity for the quarters.

II

Memorandum No. 4263-B/14-1, dated 12th August 1914.

With reference to his letter No. 1023 C.E., dated 21st July 1914, submitting an estimate amounting to Rs. 880 for constructing a house for the water Registrar at Anaipalaiyam, Karur taluk, Trichinopoly division, the Superintending Engineer, VI Circle, is requested to report what the pay of the water Registrar is, and the head of account to which it is charged. He is also requested to state whether it is proposed to recover rent from the incumbent for the quarters to be built for him.

2. Only the left half of the last sheet of the estimate file, relating to the wood work portion has been received. It is herewith returned to the Superintending Engineer who is requested to submit a complete sheet with the information called for in paragraph 1 above.

(By Order.)

F. E. MORGAN,
Asst. Chief Engr. for Irrigation.

To the Superintending Engineer, VI Circle,
(with one estimate sheet).

III

Letter—from M. R. KHAREGAT, Esq., A.M.I.C.E., Superintending Engineer, VI Circle.
To—the Chief Engineer for Irrigation.
Dated—Trichinopoly, the 20th August 1914.
No.—1166 C.E.

With reference to your memorandum No. 4263 B/14-1, dated 12th August 1914, I have the honour to request you to return the enclosures forwarded to you with this office No. 1023 C.E., dated 21st July 1914, for reference and return.

IV

From the Hon'ble Mr. W. J. J. Howley, A.M.I.C.E., Officiating Chief Engineer for Irrigation, to the Superintending Engineer, VI Circle, dated 1st September 1914, No. 4263 B/14–2.

V

Letter—from M. R. Kharegat, Esq., A.M.I.C.E., Superintending Engineer, VI Circle.
To—the Chief Engineer for Irrigation.
Dated—Trichinopoly, the 25th September 1914.
No.—1365 C.E.

With reference to your memorandum No. 4263 B/14–1, dated 12th August 1914, I have the honour to inform you that the present pay of the water Registrar is Rs. 12 per mensem and is charged to 43 Minor Works and Navigation not kept, repairs ordinary. But in view of the fact that accurate readings of all the gauges at Pallapalaiyam anicut have to be maintained it is proposed to increase the pay to Rs. 20 per mensem so that a responsible man can be employed.

2. The Executive Engineer, Trichinopoly division, recommends that no rent should be recovered from the incumbent of the proposed quarters and I agree with him.

3. As regards paragraph 2 of your memorandum, the half sheet referred to, does not contain the abstract of the estimate under reference but is only the left half of a spoiled abstract sheet of some other estimate which was made use of for noting the classification of the work and attached to the duplicate copy of the estimate instead of a full sheet which is now done. The estimate as already submitted was complete.

The enclosures received with your memorandum under reference are herewith returned.

VI

Memorandum No. 4263/14-B./3, dated 9th October 1914.

With reference to his letter No. 1365 C.E., dated 25th September 1914, forwarding for sanction an estimate for constructing quarters for the water Registrar at Anaipalaiyam, Karur taluk, the Superintending Engineer, IV Circle, is requested to send a complete plan of the quarters proposed to be constructed. Only a site plan and a section have been sent with the estimate.

2. It is considered that the salary of Rs. 20 and free quarters for the water Registrar appear to be very high unless some additional duties, beyond the reading of gauges and recording the readings, are to be imposed on him. A man on Rs. 20 is not more likely to read a gauge correctly than one on Rs. 15 provided both can read and write.

(By Order.)

F. E. Morgan,
Asst. Chief Engr. for Irrigation.

To the Superintending Engineer, VI Circle.

VII

Letter—from C. Peddie, Esq., Executive Engineer, Trichinopoly Division.
To—the Superintending Engineer, VI Circle.
Dated—the 29th October/2nd November 1914.
No.—1418 S.E.

With reference to your No. 8553, dated 22nd October 1914, I have the honour to inform you that the quarters are proposed to be constructed as per type-design for a head constable's hut (C.A. No. 176 of 1911); copy of the report submitted from this office is herewith.

My reason for proposing a pay of Rs. 20 was that a man of some qualifications and intelligence could be obtained so that he could be taught to also gauge the discharge of the river.

In your No. 8498/491-D., dated 21st October 1914, you state that a subordinate should be trained to take these observations and posted on special duty from October to December. This no doubt would ensure more reliable observations being taken, but a subordinate would also have to be deputed in the following years also, as the flow in this river is very erratic and the highest level the water rises to in one year might be very much lower than that of next year. This may be seen from the fact that this anicut is very seldom submerged and to obtain anything like an accurate discharge over the anicut, the velocity observations in the straight reach above anicut would have to be extended over several years. My only doubt was if a good enough man could be obtained for Rs. 20. This is the pay given to a raw and inexperienced clerk when he first joins and he has always the prospect of rising to higher pay whereas this man has not. Also many of the matrics in this division draw a higher pay and even then, it is hard to get good men Besides taking gauge readings, this man would also have to look after the annual repairs to the anicut and sluices.

No. 1643 *C.E.*, *dated* 12*th November* 1914.

Forwarded to the Chief Engineer for Irrigation in reply to his No. 4263/14-B., dated 3rd/9th October 1914.

2. It will be observed that the type-design for a head constable's quarters is proposed.

3. I do not consider that a registrar on Rs 20 could be entrusted with the discharge observations, and it is not necessary to engage a man permanently to supervise the annual repairs.

4. I consider a salary of Rs. 10 with free quarters should be sufficient.

5. The discharge observations should be taken by the Sub-division officer if possible, assisted by a subordinate.

C. MILDRED,
Superintending Engineer, VI Circle.

VIII

Memorandum No. 4263 B/14-4, dated 5th/7th December 1914.

In the circumstances reported by the Superintending Engineer, VI Circle, in his endorsement No. 1643 C.E., dated 12th November 1914, the Chief Engineer for Irrigation considers that quarters as per type-design C.A. No 177 of 1911 at a cost ranging from Rs. 325 to Rs. 500 should suffice for the water Registrar at Anaipalaiyam Karur taluk. The Superintending Engineer is requested to prepare and submit the necessary plans and estimate together with a complete plan of the quarters as called for in paragraph 1 of memorandum No. 4263 B/14-3, dated 9th October 1914.

(By Order.)

F. E MORGAN,
Asst. Chief Engr. for Irrigation.

To the Superintending Engineer, VI Circle,
with plans and estimate.

IX

Reminder to the Superintending Engineer, VI Circle, dated 22nd January 1915.
Reply from the Superintending Engineer, VI Circle, dated 4th February 1915.
No. 228 C.E./401 C.

X

Reminder to the Superintending Engineer, VI Circle, dated 12th March 1915.
Reply from the Superintending Engineer, VI Circle, dated 18th March 1915, No. 573 C.E.

XI

Reminder to the Superintending Engineer, VI Circle, dated 1st May 1915.
Reply from the Superintending Engineer, VI Circle, dated 15th May 1915, No. 886 C.E.

XII

Letter—from C. MILDRED, Esq., A.M.I.C.E., Superintending Engineer, VI Circle.
To—the Chief Engineer for Irrigation.
Dated—Camp, Kodaikanal, the 19th May 1915.
No.—909 C.E./401 C.

With reference to the correspondence ending with your Memorandum No. 4263 B/14-4, dated 7th December 1914, I have the honour to forward herewith for favour of your approval and for obtaining sanction of Government an estimate amounting to Rs. 600 for constructing quarters for the use of the water Registrar at Anaipalaiyam in Karur taluk.

The quarters will be as per type-design C.R. No. 127 of 1914 which has superseded C.A. No. 177 of 1911.

The rates allowed in the estimate are as per current schedule of rates.

The estimate is recommended for early sanction.

ENCLOSURE.

Report to accompany the estimate for constructing quarters for the use of the water Registrar at Anaipalaiyam in Karur taluk.

	RS.
Amount of estimate	600

The Pallapalaiyam anicut is the last in the Amaravathi river and its discharge through the head sluice and over the anicut is required to be carefully gauged and calculated for purposes of investigation and settlement of important projects. This necessitates the presence of a water Registrar always at the head for recording readings and taking observations. As there is no house available in the village the water Registrar at present does not live there It is therefore proposed to construct quarters close to the anicut and headsluice as per type-design C.A. No. 127 of 1914, circulated with G.O. No. 2040 W., dated 27th October 1914. The site being poromboke, no compensation is necessary.

Necessary site survey section of foundation and building plans are herewith submitted.

The rates entered in the estimate are as per current schedule of rates, the rates for important items being supported with necessary data.

This estimate is prepared with reference to the Irrigation Chief Engineer's Memorandum No. 4263-B/14-4, dated 7th December 1914.

9th February 1915.

C. PEDDIE,
Executive Engineer, Trichinopoly Division.

X

Endorsement by the Chief Engineer for Irrigation, No. 4263-B/14-5, dated 28th June 1915.

Submitted to Government with the recommendation that administrative approval be accorded for the construction of quarters for the water Registrar at Anaipalaiyam, Karur taluk, Trichinopoly district, at a cost not exceeding Rs. 600 as per type-design C.A. No. 127 of 1914, and the water Registrar be allowed to occupy the quarters rent free with reference to G.O. No. 686 W., dated 8th March 1889.

W. M. ELLIS, Col., R.E.,
Chief Engineer for Irrigation.

To the Secretary to Government, Public Works Department (Irrigation).

Order—No. 327 I., dated 30th June 1915.

The recommendations of the Chief Engineer for Irrigation are approved.

(True Extract.)

W. M. ELLIS, Col., R.E.,
Secretary to Government, P.W.D.
(Irrigation Branch).

To the Superintending Engineer, VI Circle,
with plans and estimate.
" Accountant-General, Madras.

PUBLIC WORKS DEPARTMENT
(IRRIGATION BRANCH).

NOTES CONNECTED WITH G.O. No. 327 I., DATED 30TH JUNE 1915.

[SUBJECT.—*Estimate for constructing a house for the water registrar at Anaipalayam, Karur taluk, Trichinopoly division (Rs. 880).*]

From the Supt. Engr., VI Circle, dated 21st July 1914, No. 1023 C.E.

With his letter read above the Superintending Engineer, VI Circle, submits an estimate amounting to Rs. 880 for constructing a house for the water registrar at Anaipalayam, Karur taluk. The necessity for the work is explained in the report accompanying the estimate. The house is proposed to be built as per type design No. C.A. 176 of 1911 approved in G.O. No. 308 W., dated 24th February 1912, at an estimated cost of Rs. 880.

2. In the case of an estimate of Rs. 720 received last year from the Superintending Engineer, IV Circle, for constructing quarters for the water registrar at the Kodiveri Anicut, Coimbatore division, it was considered that information regarding **A** the pay of the incumbent and the head of account to which it was charged should be called for from the Superintending Engineer—*Vide* G.O. No. 423 I., dated 22nd July 1913.

Perusal is also requested of paragraph 2 of the Financial department notes on page 2 of the notes to the Government Order referred to above, wherein that department observed that the cost of construction of the quarters might be reduced so as to approximate that of a constable's hut, viz., Rs. 325 to Rs. 500

The water registrar's pay was then reported to be Rs. 10 per mensem.
Vide Executive Engineer's letter on page 3 of G.O. No. 423 I., 22nd July 1913.

Under G.O. No. 686 W., dated 8th March 1889, the water registrar will be entitled to the rent-free occupation of the house proposed to be built for him if his pay does not exceed Rs. 20 per mensem.

The Superintending Engineer may, in the above circumstances, be asked to furnish the information referred to at **A** above, and to state whether it is proposed to recover rent for the quarters to be constructed.

3. The last sheet in the estimate file submitted by the Superintending Engineer has been received in a torn condition. It may be returned to the Superintending Engineer, with a request to send in a fresh sheet.

A draft memorandum is submitted for approval.

S.—6-8-14.
T.S.R.—7-8-14.

F. E. MORGAN—10-8-14.

[Memorandum to the Superintending Engineer, VI Circle, No. 4263-B/14-1, dated 12th August 1914.]

From the Suptg. Engr., VI Circle, dated 20th August 1914, *No.* 1166 *C.E.*

A draft memorandum returning to the Superintending Engineer the enclosures received with his letter No. 1023 C.E., dated 21st July 1914, is submitted for approval.

S.S.—24-8-14.

T.S.R.—25-8-14.

F. E. MORGAN—27-8-14.

Plans and estimates for constructing a house for the water registrar at Anaipalayam, Karur taluk, Trichinopoly division, were returned to the Superintending Engineer, in Memorandum No. 4263 B/14-2, dated 1st September 1914. The file may, it is submitted, lie over till 15th October 1914, awaiting the receipt of the Superintending Engineer's reply to the memorandum issued on 12th August 1914.

S.S.—22-9-14.

M.S.V.—22-9-14.

F.E.M.—24-9-14.

From the Suptg. Engr., VI Circle, dated 25th September 1914, *No.* 1365 *C.E.*

The Superintending Engineer now resubmits the estimate for constructing quarters for the water registrar at Anaipalayam, with replies to Memorandum No. 4263 B/14-1, dated 12th August 1914. It is stated that the pay of the incumbent is Rs. 12 per mensem and is charged to the head " 43. Minor Works and Navigation." The Superintending Engineer recommends that the water registrar be allowed to occupy the quarters rent free. The recommendation may, it is submitted, be approved with reference to G.O. No. 686 W., dated 8th March 1889.

2. In view of the fact that it is likely that the water registrar's pay will be raised to Rs. 20, the proposed expenditure of Rs. 830 on the quarters is perhaps justifiable.

3. The estimate may now be checked in Technical section.

S.S.—2-10-14.

M.S.V.—2-10-14.

F.E.M.—5-10-14.

Has no plan of the quarters been sent in. I do not see anything but a section and site plan.

2 The salary Rs. 20 and free quarters for the water registrar appear very high unless some further duties beyond reading and recording his readings of gauges are to be imposed on him. I do not think a man on Rs. 20 is more likely to read a gauge correctly than one on Rs. 15 provided both can read and write.

W. M. ELLIS—5-10-14.

Plan required by the Chief Engineer for Irrigation has not been received.

A draft memorandum to the Superintending Engineer, VI Circle, is submitted which, if approved, may issue.

A.V.S.—6-10-14.

F.E.M.—6-10-14.

[Memorandum to the Superintending Engineer, VI Circle, issued as No. 4263-B/14-3, dated 9th October 1914.]

From the Suptg. Engr., VI Circle, dated 12*th November* 1914, *No.* 1643 *C.E.*
" " *VI* " " 20*th* " " *No.* 1688 *C.E.*

Submitted.

2. The Superintending Engineer now considers that a salary of Rs. 10 per mensem should be sufficient for the water registrar. It is for consideration whether the cost of construction of the proposed quarters may not be cut down so as to approximate the cost of a * constable's hut, viz., Rs. 325 to 500 with reference to type design No. C.A. 177 approved in G.O. No. 308 W., dated 24th February 1912.

Vide paragraph 4 of Superintending Engineer's endorsement.

* The average pay of a constable is Rs. 9-8-0 per mensem.

Vide last paragraph of specification on page 3 of the Government Order.

3. With reference to paragraph 1 of Memorandum No. 4263/14 B-3, dated 9th October 1914, wherein a complete plan of the quarters proposed to be constructed was called for from the Superintending Engineer, it is submitted that the Superintending Engineer has not sent in a plan apparently because, in the circumstances now reported, a revision of the design would be necessary.

S.S.—24-11-14.

M.S.V.—24-11-14.

F. E. MORGAN—25-11-14.

Under the circumstances quarters of the type of constable's quarters should serve and an estimate for these may be approved.

W. M. ELLIS—25-11-14.

A draft memorandum to the Superintending Engineer, VI Circle, requesting him to submit an estimate for quarters of the type referred to by the Chief Engineer for Irrigation is put up for approval.

S.S.—4-12-14.

M.S.V.—4-12-14.

F.E.M.—4-12-14.

[Memorandum to the Superintending Engineer, VI Circle, issued as No. 4263 B/14-4, dated 7th December 1914.]

From the Suptg. Engr., VI Circle, dated 4*th February* 1915, *No.* 228 *C.E.*/401 *C.*
" " " " 8*th* " " " 273 *C.E.*/401 *C.*
" " " " 18*th March* " " 573 *C.E.*
" " " " 15*th May* " " 886 *C.E.*
* * * *
" " " " 19*th* " " " 909 *C.E.*/401 *C.*
" " " " 21*st* " " " 917 *C.E.*/401 *C.*

With the letter first read above, the Superintending Engineer, VI Circle, submits for sanction an estimate amounting to Rs. 600 for constructing quarters for the water registrar at Anaipalayam. It is proposed to build the quarters as per type-design C.A. No. 127/14 for police huts with reference to Chief Engineer for Irrigation's instructions in Memorandum No. 4263/B-14-4, dated 7th December 1914. The permissible outlay on a hut of this design ranges only from Rs. 350 to Rs. 525. It is for orders if the estimate may be checked for sanction.

A.V.R.—24-5-15.

M.S.V.—24-5-15.

F.E.M.—27-5-15.

Check for sanction.

W.M.E.—27-5-15.

The estimate has been checked. The rates are supported by data and they agree with the current schedule of rates.

M.V.—21-6-15.

R.S.—21-6-15.

A draft endorsement by the Chief Engineer for Irrigation and a draft order thereon are submitted. The quarters are in accordance with type-design No. C.A. 127 of 1914 accepted by Financial. The pay of the water registrar is Rs. 10 and under G.O. No. 686 W. of 8th March 1889, all irrigation and navigation establishments on pay not exceeding Rs. 20 per mensem are as a general rule allowed free quarters. The draft order need not therefore be sent to Financial and may, if approved, issue.

G.O. 2040 W., 27th October 1914.

T.S.N.—23-6-15.

M.S.V.—24-6-15.

F. E. MORGAN—28-6-15.

Issue.

W. M. ELLIS—28-6-15.

[G.O. No. 327 I., dated 30th June 1915.]

6

quote 5/AP

E. I. Form No. 15—960—17-2-08.

Chepak, 31 · 8 · 19~~14~~ 1 · 9 · 14

No. 4263 B/14-2

quote

From

The Hon'ble Mr. W. J. J. Howley A.M.I.C.

Offg. CHIEF ENGINEER FOR IRRIGATION.

MEMORANDUM.

Enclosures. 3.

pp 4-5 cf

THE undersigned has the honour to forward the following documents to the Supg. Engineer VI Circle with reference to his letter No. 1166 C.E. dated 20.8.14 190 :—

1. Estimate file with duplicate copy of abstract
1. Plan
& 1. Tracing

(By Order.)

O/c

22/8/14

24.8.14

25.8.14

for ~~Assistant~~ Chief Engineer for Irrigation.

DESPATCHED
Date 1.9.1916
Enclos. 3

To

The S.E. VI Circle

Public Works
Irrigation

No 168

20.11.

Chief Engineer
for Irrigation

The Supdg Engineer
IV Circle

4263 B/14-3 9.10.14

22.11.14

Supdg. Engr
IV Circle

The Chief Engineer
for Irrign.

14

CHIEF ENGINEER FOR IRRIGATION. 23 NOV 1914 No. 7225/14 – B

C.F. 8a

SUPERINTENDING ENGINEER'S OFFICE, VI CIRCLE, TRICHINOPOLY. P.W.D. 14 NOV 1914 2194

CE

Public Works Department.

Irrigation Branch.

No 1688 20.11.14

REMINDER. 4263 B/14

REPLY.

To

The Supg. Engineer VI Circle

The undersigned has the honour to invite ~~is directed to invite~~ ~~invites~~ attention to the communication noted in the margin and to request that this reminder may be returned at once with information as to—

memo No. 4263 B/14-3, dated 9.10.14

p10 cf

(1) the stage at which the matter now is, &

(2) the date by which a reply may be expected ~~and~~

~~(3) the circumstances which have caused the delay~~.

2. It is requested that the reply to this reminder may be sent not later than 22-11-14

[signature] 12/11

Office of the Chief Engineer for Irrign. Signature,

Station Chepauk for Chief Engineer for Irrign. Designation.

Dated 12.11.14

[initials] 11.11.14

SUBJECT.

Complete plan of the quarters for the Water Registrar at Anaipalayam Karur Tq.

Requesting to send a —

To

The Chief Engineer for Irrigation

pp 11-13 cf

Please see this office endorsement No. 1643 C6 of 12.11.14 with which a reply has been submitted

[signature] 18/11/14 Supdg. Engineer VI Circle

[initials] 17/11 A.S.E.

[initials] 17/11/14

13

Public Works Department
Irrigation Branch.

No 1688 dt 20-11-14

REMINDER 4263

No 2268 9-12-15(?)

To
Chief Engineer for Irrigation

To
The Deputy Engineer
V Circle

The undersigned has the honour to invite attention to the communication noted in the margin and to request that this reminder may be returned at once with information as to —

Memo 4263/144-3 9.10.14

(1) the stage at which the matter now is;

(2) the date by which a reply may be expected —

(3) [illegible]

2. It is requested that the reply to this reminder may be sent not later than 22-11-14.

There are this office endorsement No 1648 of 12.11.14 which no reply has been submitted

Deputy Engineer
V Circle

Office of the Chief Engineer for Irrigation
Station Calcutta(?)
Dated -11-14

SUBJECT.
[illegible]

1830 16 5

G.F. 88.

PUBLIC WORKS DEPT., IRRIGATION 25 JAN 1915 Madras. 5 FEB 1915 No. 1082 GOVERNMENT OF MADRAS

4263 B/14

Public Works Department.

Irrigation Branch.

REMINDER. 4263 B/14

To

The Supdg. Engineer VI circle

The undersigned has the honour to invite ~~is directed to invite~~ ~~invites~~ attention to the communication noted in the margin and to request that this reminder may be returned at once with information as to—

No. 4263 B/144, dated 7-12-14

(1) the stage at which the matter now is, &

(2) the date by which a reply may be expected and

(3) ~~the circumstances which have caused the delay.~~

2. It is requested that the reply to this reminder may be sent not later than 31-1-15

K. Nugent 21/1/15

Office of the Ch. Engr. for Irrigr. Signature.

Station Chepauk for Ch. Engr. for Irrigr. Designation.

Dated 22-1-15

20.1.15

SUBJECT.

Quarters for the water Registrar at Araipaliem, Karur taluq — requesting to submit the necessary plans & estimates for constn. — together [with] complete plan of the quarters

REPLY.

No. 228 C.R. / 401 C of 4.2.15

To

The Chief Engineer for Irrigation, Madras

The reminder [illegible] was also in this office No. 10303 of 12.12.14 to submit the necessary plans & estimates but they have not yet been received. Two reminders have been issued on the subject. A special letter is being sent for their early submission.

Supdg. Engineer VI circle

26.1.15

quarters 12 15 28/2/15

17

C.F. 88.

267 CR 4 FEB 1915 2/8

4263/14 10 FEB 1915 No. 1217/CR

Public Works Department.

Irrigation Branch.

REMINDER. 4263 B/14 | REPLY.

To

The Supt. Engr. VI Circle

The undersigned has the honour to invite ~~is directed to invite~~ ~~invites~~ attention to the communication noted in the margin and to request that this reminder may be returned at once with information as to—

15. No. 4263 B/14-4, dated 7-12-14

(1) the stage at which the matter now is, &

(2) the date by which a reply may be expected and

(3) ~~the circumstances which have caused the delay.~~

2. It is requested that the reply to this reminder may be sent not later than 13-2-15

3. The reminder dated 22-1-15 has not yet been replied to.

P. K. Subbarayar 2. 2. 15

Office of the Ch Engr for Irrign — Signature.

Station Chepauk — for Ch Engr for Irrign — Designation.

Dated 2-2-15

1-2-15

SUBJECT.

Quarters for the Water Registrar at Anaipaliem, Karur taluk — Calling for ~~the necessary~~ plans and estimates constructing them as per type design CA No. 177 of 1911.

To No. 273 CR / 401C dt 8-2-15

The

Please see this office No. 228 CE / 401C of 4-2-15 p 160

Muldoon 5/2
Supdg Engineer
VI circle

4-2-15

(13)

16

VA 18 O.F. 88

619 CE

SUPERINTENDING ENGINEER'S OFFICE ... MAR 1915 ... CIRCLE

15 Public Works Department.

Irrigation Branch.

4263/14 20 MAR 1915 No. 2360/15B ... OF MADRAS

REMINDER. 4263/14	REPLY.
To The Supdg Engineer VI circle	No 573 Cq 18-3-15
	To The Chief Engineer for Irrigation.

The undersigned has the honour to invite ~~is directed to invite~~ ~~invites~~ attention to the communication noted in the margin and to request that this reminder may be returned at once with information as to—

181, No. 228 CE 273 CE, 401 C dated 8-2-15

(1) the stage at which the matter now is, &

(2) the date by which a reply may be expected ~~and~~

~~(3) the circumstances which have caused the delay.~~

2. It is requested that the reply to this reminder may be sent not later than 21-3-15

J Morgan 6/3/15

Office of the Ch Engr for Irrgn

Station Chepauk

Dated 12-3-15

Signature.

Designation.

The estimate and plans, an under scrutiny will be forwarded before the end of this month

Muldeal 18/3

To 15/3/15 A.E. Supdg Engineer VI Circle

15-3-15

SUBJECT.

Quarters for the water Registrar at Anaipaliem, Karur tk — Stating that the necy plans & estimates for — not been received from the E.E. — he was being specially reminded.

17

Public Works Department.

Irrigation Branch.

REPLY.

No 886 Cl.
15-5-15

No. 573 Ig 18-3-15

Chief Engineer
Irrigation

The estimate & plans [illegible] and [illegible] are being submitted separately [illegible] by the end of this month.

Supdg. Engineer
VII Circle

[illegible]

REMINDER.

To

The Supdg. Engineer
VII Circle

The undersigned has the honour to invite attention to the communication noted in the margin and to request that this reminder may be returned at once with information as to—

No. [illegible] dated 8-2-15
4012

(1) the stage at which the matter now is

(2) the date by which a reply may be expected

~~(3) [illegible]~~

2. It is requested that the reply to this reminder may be sent not later than 25-3-15

3. The revised estimates [illegible] 17.4.15 has not yet been replied to.

Office: [illegible]

Signature: [illegible]

Station

Designation: for Ch. Engr. [illegible]

Dated 4-3-15

SUBJECT:

[illegible]

19

975 CR
3 MAY 1915
302

PUBLIC WORKS DEPT., IRRIGATION
Madras
4263/14B
17 MAY 1915
No. 3788/15
GOVERNMENT OF MADRAS.

15 ??

Public Works Department.
Irrigation Branch.

No 886 CR

V ... REMINDER. 4263/14

REPLY. 15.5.15

To

The Supt Engineer
VI Circle

To

THE Chief Engineer
for Irrigation

The undersigned has the honour to invite ~~is directed to invite~~ ~~invites~~ attention to the communication noted in the margin and to request that this reminder may be returned at once with information as to—

CE's No. 573CE, dated 18.3.15

(1) the stage at which the matter now is, and

(2) the date by which a reply may be expected ~~and~~

(3) ~~the circumstances which have caused the delay.~~

2. It is requested that the reply to this reminder may be sent not later than 10.5.15

3. The rem. despatched on 17.4.15 has not yet been replied to.

Office of the Ch. Engr. for Irrgn.
Station Chepauk
Dated 1.5.15

P. K. Subbarao
30.4.15
Signature.
for Ch. Engr. for Irrgn.
Designation.

The estimate & plans are ready and are being submitted separately

[signature]
Supdg Engr
VI Circle
12/5/15

SUBJECT.

Quarters for the Water Registrar at Anaipaliem, Karur tk. — Stating that the plans & estimate for constn. — would be submitted before the end of March last.

18

GOVERNMENT OF INDIA

No 886 O.
15.5.15

REPLY

To
The Chief Engineer
for Irrigation

The estimate & plans
are ready and
are being submitted
separately

REMINDER

Public Works Department
Irrigation Branch

To
The Superintending Engineer
VI Circle

The undersigned has the honour to invite attention to the communication noted in the margin and to request that this reminder may be returned at once with information as to—

No. 5730 dated 18.3.15

(1) the stage at which the matter now is;

(2) the date by which a reply may be expected;

~~(3) the circumstances which have caused the delay.~~

2. It is requested that the reply to this reminder may be sent not later than 15.5.15

3. The new [illegible] 17.4.15 and 1.5.15 have not yet been replied to

Signature [illegible]

Station [illegible]

Dated [illegible]

SUBJECT

[illegible] that the plans & estimate for [illegible] be submitted [illegible] [illegible]

1110 CE
17 MAY 1915

23

Madras. 4263/14 B
24 MAY 1915
No. 3986/15
GOVERNMENT OF MADRAS

Public Works Department.

Irrigation Branch.

VI REMINDER. 4263/14

To

The Supdg Engineer
VI circle

The undersigned ~~has the honour to invite~~ is directed to invite ~~invites~~ attention to the communication noted in the margin and to request that this reminder may be returned at once with information as to—

S.E's No. 573CE, dated 18.3.15 p 18 cf

(1) the stage at which the matter now is, and

(2) the date by which a reply may be expected ~~and~~

(3) ~~the circumstances which have caused the delay.~~

2. It is requested that the reply to this reminder may be sent not later than 25.5.15

3. The reminders despatched on 17.4.15 & 1.5.15 have not yet been replied to

P. K. Subbaraya
14.5.15

Office of the Ch. Engr for Irrign
Signature
Station Chepauk for Ch. Engr. for Irrign
Designation.

Dated 15.5.15

SUBJECT.

Quarters for the Water Registrar at Anaipaliem, Karur tk — stating that the plans & estt for constn would be forwarded before the end of

REPLY.

917 CE of 21.5.15
401 C

To

THE ~~Chief Engineer~~ for Irrign,
Madras.

The estimate and plans for constructing quarters for the water Registrar at Anaipoliem, Karur Taluk were submitted with this office No. 909 CE / 401 C dated 19.5.15

S. Krishnaswamy 20
For Superintending Engineer,
VI Circle.

21

Government of Madras ... 24 MAY 1915

Public Works Department.

Irrigation Branch.

REMINDER. VI

REPLY.

To

The Exty Engineer
VI Circle

The undersigned has the honour to invite / is directed to invite / invites attention to the communication noted in the margin and to request that this reminder may be returned at once with information as to:—

(1) the stage at which the matter now is,

(2) the date by which a reply may be expected,

(3) [illegible]

2. It is requested that the reply to this reminder may be sent not later than 28-5-15.

3. The reminders despatched on 17.4.15 & 1.5.15 have not yet been replied to.

Office of the Ch Engr Irrigation

Station

Date 5.15

SUBJECT.

Public Works
Irrigation

The Supdg Engineer
II Circle

No. 9 of 21.5.15
O.C.

D.E.I.

As the plans and estimates have not yet been submitted as called for in the above memo, a draft reminder to the S.E. is submitted for approval.

20.1.15

21-1-15

21/1/15

Reminder

DESPATCHED

Date 22.1.15

Enclos. —

Omit

21-1-15

D.E.I.

The above reminder having not yet been replied to, another draft reminder is submitted for approval.

1-2-15

1.2.15

Issue
2.2.15

Rem-

DESPATCHED

2-2-15

2.2.15

Omit

30

30/6/15

p 16 cf | From S.E. VI No. 228 CE/401C d 4.2.15.

D.E.I

Submitted for perusal. The receipt of further communication from the S.E. may be awaited for one month.

(Initialled) 8/2/15

lcf 8.2.15

(Initialled) 6.2.15

Mac 6 2 15

Omit

p 17 cf | From the S.E. VI No. 273 CE/401C d 8-2-15

D.E.I

Submitted that the file may lie over till 8-3-15 as ordered above.

(Initialled) 10/2/15

lcf 15.2.15

Mac 13 2 15

Omit

D.E.I

A draft reminder to the S.E. VI is put up for approval & orders to issue.

(Initialled) 11/3/15

lcf 12.3.15

Reminder
DESPATCHED
Date 12.3.15
Enclos....-.....

(Initialled) 11.3.15

Mac 11. 3. 15

Omit

p 18 cf | From the S.E. VI No. 573 CE d 18-3-15

D.E.I Submitted.

The estimate & plans may be awaited till the 10th April next.

(Initialled) 22/3/15

lcf 24.3.15

(Initialled) 22.3.15

Mac 23.3.15

Omit

P.T.O.

31

M.E.D.

As the plans and estimate promised to be submitted before the end of March have not yet been received, a draft reminder to the S.E., VI circle, is submitted for approval and orders to issue

T.S.N.
15.4.15

Issue
M.S.
16.4.15

Mgr
16.4.15

D. 18. Cf.

17.4.15

Omit

Am
14.4.15

Reminder
DESPATCHED
Date 17/4
Enclos. -

M.E.D.

As the reminder despatched on 17.4.15 has not yet been returned with the reply, a draft reminder to the S.E, VI circle, is submitted for approval & issue

A.V.R.
29.4.15

Issue
M.S.
30.4.15

Mgr
30.4.15

30.4.15

No. V.

Omit

T.S.N.
29.4.15

Reminder
DESPATCHED
Date 1.5.1915
Enclos. -

M.E.D. The two reminders despatched on 17.4.15 & 1.5.15 have not yet been returned with the reply. A ~~2nd~~ third draft reminder to the S.E. VI circle is therefore put up for approval & issue. The S.E. will be reminded by a special memo if the reminder now ~~sent~~ put up is not received with reply by the 25 inst.

Am
13.5.15

Mgr
14.5.15

F.S. Issue
M.S.
16.5.15

Omit

14.5.15

T.S.N.
13.5.15

Reminder
DESPATCHED
Date 15.5.15
Enclos. -

32

4268/14

p 19 cf

Done

10P

From the SE VI No. 886 C&B/15-5-15

MEO

Submitted that the plans and estimate may be awaited for ~~two weeks~~ ten days.

Am
19.5.15

Mar
19.5.15

Yes.
PWS
20.5.15

24

(19)

Print	p.1 cf	from the SE VI no. 1023 CE/21.7
	pp 2-3 cf	To — do — 4263.B/44-1 of 12.
	pp 4-5 cf	from — do — 1166 CE/20.8.44
Quote	p.6 cf	TO — do — 4263 B/44-2/1.9
Print	pp 7 & 8 cf	from — do — 1365 CE/25.9.44
	p.10 cf	TO — do — 4263 B/44-3/9.10
	pp 11-13 cf	from — do — 1643 CE/12.11.44
Omit	p.14	Reminder to do — of 12.11.44 and Reply from do — no 1688 CE/20.11.44
Print	p.15	TO the SE VI no 4363 B/44-4/7.12.44
Quote	p.16	Reminder to — do — of 22.1.15; Reply from — do no 228 CE/401C/4.2.15
Omit	p.17	Reminder to do — of 2.2.15; Reply from — do — no 273 CE/401C/8.2.15
Quote	p.18 cf	Reminder to do dated 12.3.15; Reply from do — 573 CE/18.3.15
Quote	p.19 cf	Reminder to do of 1.5.15; Reply from do 886 CE/15.5.15
Print	pp 20-22 cf	from the SE VI no 909 CE/401C/9.5.15
Omit	p.23 cf	Reminder to do of 15.5.15 & Reply from do no. 917 CE/401C/21.5.15

25

20P

Endt. by the Chief Engineer for Irrigation no: 4263 B /14-5 of June 1915

Submitted to Government with the recommendation that administrative approval be accorded for the Construction of Quarters for the water registrar at Anaipalayam, Karur taluk, Trichinopoly Dt. at a cost not exceeding Rs 600 as per type-design C A 127 of 1914, and the water registrar be allowed to occupy the quarters rent free with reference to G.O. No. 686W / 8.3.89

Flag Y

The Secy to Govt
P.W.D. Irrig.

T.S.P.
23.6.15

May
24.6.15

[illegible] 29/6/15

[illegible]
28/6/15

23

Page No.

C. R. 19-5-14.

tt. II—10 (a)—7,000—4-18. DEPARTMENT

Quarters for the water registrar at Anaipalaiyam Karur Taluk Trichinopoly Dt. According with remarks administrative approval for the construction of —

Irrigation
Quarters
Buildings
Sheds —

READ AGAIN G.O. No. ...., dated .... 191 .

" " " " ...., " .... 191 .

READ ALSO :—

No. 4263/14 From the Chief Engr for Irrigation No. 4263 B/ue-5, dated June

pp 1-23 Printed
Printed on p. 24 cf
+ p. 25 Print

" " ...., " " ...., " ...., " 191

" " ...., " " ...., " ...., " 191

ORDER. No. 327 I, dated 30 June 1915

Press.

The recommendations of the Chief Engineer for Irrigation are approved.

M.S.
24/6/15

28/6/15

28/6/15

To

The S.E. VI Circle } with plans & Estimate } ms

The A.G. Madras × 50 copies despd } 30/7
S.P. copies despd
Note despd

(Note for ET)

DESPATCHED
1/7
2 plans + 1 Estimate to S.E. VI only

3 K